

L Number	Hits	S arch T xt	DB	Time stamp
1	524	akita.in.	USPAT; US-PGPUB	2003/09/01 17:48
2	52	akita.in. and stator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/01 17:49
3	217	tamura.in. and stator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/01 17:49
4	116	takizawa.in. and stator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/01 17:49
5	38	hashiba.in. and stator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/01 17:50
6	23	oketani.in. and stator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/01 17:50
7	127	oohashi.in. and stator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/01 17:50
8	382	adachi.in. and stator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/01 17:50
9	3	(akita.in. and stator) and (tamura.in. and stator) and (takizawa.in. and stator) and (hashiba.in. and stator) and (oketani.in. and stator) and (oohashi.in. and stator) and (adachi.in. and stator)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/01 17:54
10	580	310/184.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/01 17:54
11	372	310/184.ccls. and stator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/01 19:08

12	1130	H02K003/00.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/01 19:08
13	686	H02K003/00.ipc. and stator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/01 19:09
14	659	H02K003/00.ipc. and stator and (coil or bobbin or winding or wire)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/01 19:09
15	447	H02K003/00.ipc. and stator and (coil or bobbin or winding or wire) and (slots or opening or slot or mouth or groove or slit or passage or gap)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/01 19:18
16	290	310/201.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/01 19:25
17	859	310/208.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/01 19:25
18	300	310/208.ccls. and stator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/01 19:27
19	3436	H02K001/22.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/01 19:27
20	1531	H02K001/22.ipc. and stator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/01 19:27
21	1082	H02K001/22.ipc. and stator and (coil or bobbin or winding or wire)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/01 19:28

22	740	H02K001/22.ipc. and stator and (coil or bobbin or winding or wire) and (slots or slit or opening or slit or groove or gap or passage or mouth)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/01 19:29
23	641	H02K003/04.ipc. and stator and (coil or bobbin or winding or wire) and (slots or slot or opening or slit or groove or gap or passage or mouth)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/01 19:29
24	1015	310/52.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/01 19:30
25	453	310/52.ccls. and stator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/01 19:30
26	5196	310/52-60a.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/01 19:30
27	1924	310/52-60a.ccls. and stator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/01 19:30
28	1515	310/52-60a.ccls. and stator and (coil or winding or bobbin or wire)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/01 19:30
29	1205	310/52-60a.ccls. and stator and (coil or winding or bobbin or wire) and (mouth or opening or slit or slots or slot or groove or passage or gap)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/01 19:32
30	424	310/179.ccls. and stator and (coil or winding or bobbin or wire) and (mouth or opening or slit or slots or slot or groove or passage or gap)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/01 19:32